


FUNE INOX




7x7
49 fili/wires

Acciaio inossidabile AISI 316
Fune in accordo con EN 10264-4
Classe di resistenza 1570 N/mm²

Stainless Steel AISI 316
Rope according to EN 10264-4
Rope grade 1570 N/mm²


Diametro fune Rope diameter mm	Peso per metro Weight for meter kg	Carico rottura minimo MBL	
		kN	kg
1	0,004	0,80	82
1,25	0,006	1,15	117
1,5	0,009	1,50	153
2	0,016	2,50	255
2,5	0,025	3,60	367
3	0,036	6,50	663
4	0,063	9,90	1010
5	0,097	15,70	1601
6	0,145	21,60	2203
7	0,191	31,50	3212
8	0,254	40,50	4130
10	0,375	61,80	6302
12	0,567	77,00	7852
14	0,780	105,80	10789
16	1,050	132,20	13481
18	1,320	175,40	17886
20	1,590	215,60	21985
22	2,050	259,80	26492
24	2,290	302,94	30891



6x19+WC
133 fili/wires

Diametro fune Rope diameter mm	Peso per metro Weight for meter kg	Carico rottura minimo MBL	
		kN	kg
2	0,017	2,50	255
2,5	0,025	3,50	357
3	0,036	6,00	612
4	0,063	9,50	969
5	0,098	13,80	1407
6	0,140	20,60	2101
7	0,197	30,50	3110
8	0,259	37,50	3824
10	0,380	59,00	6016
12	0,587	84,50	8617
14	0,772	105,30	10738
16	0,955	135,20	13787

FUNE INOX




6x36WS+IWRC
265 fili/wires

Acciaio inossidabile AISI 316
Fune in accordo con EN 10264-4
Classe di resistenza 1570 N/mm²

Stainless Steel AISI 316
Rope according to EN 10264-4
Rope grade 1570 N/mm²

Diametro fune Rope diameter mm	Peso per metro Weight for meter kg	Carico rottura minimo MBL	
		kN	kg
8	0,260	35,70	3640
10	0,400	55,90	5700
12	0,590	80,50	8209
14	0,800	110,00	11217
16	1,050	143,00	14582
18	1,330	181,00	18457
20	1,640	224,00	22842
22	1,980	271,00	27634
24	2,360	322,00	32835
26	2,760	354,00	36098
28	3,210	410,00	41808
30	3,680	471,00	48029

FUNE INOX ANTIGIRO



19x7
133 fili/wires

Acciaio inossidabile AISI 316
Fune in accordo con EN 10264-4
Classe di resistenza 1570 N/mm²

Stainless Steel AISI 316
Rope according to EN 10264-4
Rope grade 1570 N/mm²

Diametro fune Rope diameter mm	Peso per metro Weight for meter kg	Carico rottura minimo MBL	
		kN	kg
1,5	0,009	1,20	122
2	0,016	2,13	217
2,5	0,025	3,32	339
3	0,040	4,66	475
4	0,070	8,50	867
5	0,100	12,90	1315
6	0,144	18,50	1886
7	0,196	25,20	2570
8	0,257	33,00	3365
10	0,400	51,50	5252
12	0,577	74,20	7566
14	0,752	100,90	10289
16	1,015	129,30	13185